Approved For Release 2001/03/04 CIA-RDP81B00878R001300070075-4

DPS - 4966 Copy 5 of 10 October 16, 1956

Ar. J. F. Campon Chief, Disbursing Officer Pressury Department Westington 25, D. C.

Dear Mr. Campon:

I have a communication dated 10 October 1956 from General Precision Laboratory, Inc. advising non-receipt of three (3) U. S. Presury checks identified by Nos. 16,556,005, 16,556,006, and 15,556,007 in the respective encents of \$5,717.56, \$7,381.35, and \$174,619.72. These three checks were all drawn on 11 June 1958.

In order to subjety the company it will be appreciated if you will furnish either a photostatic copy of each check showing that it has been processed by the company or supply appropriate forms to permit the Contractor to request replacement checks.

Your usual prompt attention in complying with this commanication will be appreciated.

Very truly yours,

Acting Comptroller

25X1A

Distribution:

- 0 & 1 Addressee
 - 3 Contract: RA-1076 (Finance)
- 4 Contract: HF-6701 (Finance)
 5 Contract: HF-2249 (Finance)
 8 6 Invoice Nos. 18864, 19152 & 19153, 17974 & 17975
 - 9 Finance Reading File

10 - Chrono

16 October 1958 DPSDCI

25X1A